



RTOS EVALUATION PROGRAM

Doc. No: **EVA-2.9-TST-CE-x86-01**
Doc. Version: **1.00** Doc. date: **07 October, 2004**

WINDOWS CE 5.0 ON AN X86 PLATFORM

© Copyright Dedicated Systems Experts. All rights reserved, no part of the contents of this document may be reproduced or transmitted in any form or by any means without the written permission of Dedicated Systems Experts.

Disclaimer

Although all care has been taken to obtain correct information and accurate test results, Dedicated Systems Experts and Dedicated Systems Magazine cannot be liable for any incidental or consequential damages (including damages for loss of business, profits or the like) arising out of the use of the information provided in this report, even if Dedicated Systems Experts and Dedicated Systems Magazine have been advised of the possibility of such damages.

**<http://www.dedicated-systems.com>
E-mail: info@dedicated-systems.com**



RTOS EVALUATION PROGRAM

Doc. No: **EVA-2.9-TST-CE-x86-01**
Doc. Version: **1.00** Doc. date: **07 October, 2004**

- 1 Introduction 6
 - 1.1 Purpose and scope 6
 - 1.2 Document issue: the 2.9 framework 6
 - 1.3 Related documents 6
- 2 Results summary 8
 - 2.1 Product under test 8
 - 2.2 Test result 8
 - 2.2.1 Positive points 8
 - 2.2.2 Negative points 8
 - 2.2.3 Ratings 8
- 3 Introduction 9
 - 3.1 Product under test 9
 - 3.1.1 Software 9
 - 3.1.2 Hardware 9
 - 3.2 Introduction 9
- 4 Installation and BSP 10
 - 4.1 Installation 10
 - 4.1.1 Installation on Host 10
 - 4.1.2 Installation on target 11
 - 4.2 BSP 11
- 5 Test Results 12
 - 5.1 Calibration system test (CAL) 13
 - 5.1.1 Tracing overhead (CAL-P-TRC) 13
 - 5.1.2 CPU power (CAL-P-CPU) 14
 - 5.2 Clock tests (CLK) 15
 - 5.2.1 Operating system clock setting (CLK-B-CFG) 15
 - 5.2.2 Clock tick processing duration (CLK-P-DUR) 15
 - 5.3 Thread tests (THR) 19
 - 5.3.1 Thread creation behaviour (THR-B-NEW) 19
 - 5.3.2 Round robin behaviour (THR-B-RR) 20
 - 5.3.3 Thread switch latency between same priority threads (THR-P-SLS) 21
 - 5.3.4 Thread creation and deletion time (THR-P-NEW) 28
 - 5.4 Semaphore tests (SEM) 38
 - 5.4.1 Semaphore locking test mechanism (SEM-B-LCK) 38
 - 5.4.2 Semaphore releasing mechanism (SEM-B-REL) 39
 - 5.4.3 Time needed to create and delete a semaphore (SEM-P-NEW) 39
 - 5.4.4 Test acquire-release timings: contention case (SEM-P-ARN) 45
 - 5.4.5 Test acquire-release timings: contention case (SEM-P-ARC) 49
 - 5.5 Mutex tests (MUT) 54
 - 5.5.1 Priority inversion avoidance mechanism (MUT-B-ARC) 54
 - 5.5.2 Mutex acquire-release timings: contention case (MUT-P-ARC) 55



RTOS EVALUATION PROGRAM

Doc. No: **EVA-2.9-TST-CE-x86-01**

Doc. Version: **1.00** Doc. date: **07 October, 2004**

5.6	Memory tests.....	63
5.6.1	Memory leak test (MEM_B_LEK).....	73
6	Support	74
7	Appendix A: Vendor comments	74
8	Appendix B: Acronyms	76
9	Appendix C: Document revision history.....	77
9.1	Issue 1.0 (July 12, 2004).....	77

